


Vorderfüße mit Ring

Front Feet with Ring


Pieds avant à collier



Standard



		Mod. 310 Standard				
		KR 17 mm	KR 22 mm	KR 26 mm	KR 38 mm	KR 45 mm
		EAW-Nr.	EAW-Nr.	EAW-Nr.	EAW-Nr.	EAW-Nr.
RB 15 mm Ø 1" / 26 mm	BH mm		310/0010/22		310/0010/38	
	10,0			310/0012/26	310/0012/38	310/0012/45
	12,0	310/0012/17		310/0014/26	310/0014/38	310/0014/45
	14,0	310/0014/17		310/0017/26	310/0017/38	310/0017/45
	17,0	310/0017/17				
		KR 21 mm	KR 33 mm	KR 45 mm	KR 60 mm	
RB 20 mm Ø 1" / 26 mm	BH mm	EAW-Nr.	EAW-Nr.	EAW-Nr.	EAW-Nr.	
	12,0	310/1012/21	310/1012/33	310/1012/45	310/1012/60	
	14,0	310/1014/21	310/1014/33	310/1014/45	310/1014/60	
	17,0	310/1017/21	310/1017/33	310/1017/45	310/1017/60	
	20,0	310/1020/21	310/1020/33	310/1020/45	310/1020/60	
	23,0	310/1023/21	310/1023/33	310/1023/45	310/1023/60	
		KR 17 mm	KR 22 mm	KR 26 mm	KR 38 mm	KR 45 mm
RB 15 mm Ø 30 mm	BH mm	EAW-Nr.	EAW-Nr.	EAW-Nr.	EAW-Nr.	EAW-Nr.
	10,0		310/0510/22		310/0510/38	
	12,0	310/0512/17		310/0512/26	310/0512/38	310/0512/45
	14,0	310/0514/17		310/0514/26	310/0514/38	310/0514/45
	17,0	310/0517/17		310/0517/26	310/0517/38	310/0517/45
		KR 21 mm	KR 33 mm	KR 45 mm	KR 60 mm	
RB 20 mm Ø 30 mm	BH mm	EAW-Nr.	EAW-Nr.	EAW-Nr.	EAW-Nr.	
	12,0	310/1512/21	310/1512/33	310/1512/45	310/1512/60	
	14,0	310/1514/21	310/1514/33	310/1514/45	310/1514/60	
	17,0	310/1517/21	310/1517/33	310/1517/45	310/1517/60	
	20,0	310/1520/21	310/1520/33	310/1520/45	310/1520/60	
	23,0	310/1523/21	310/1523/33	310/1523/45	310/1523/60	
		KR 21 mm	KR 33 mm			
RB 20 mm Ø 34 mm	BH mm	EAW-Nr.	EAW-Nr.			
	14,0	310/1714/21	310/1714/33			
	17,0	310/1717/21	310/1717/33			
	23,0	310/1723/21	310/1723/33			




XS



		Mod. 310				
		KR 23 mm	KR 33 mm	KR 45 mm		
		EAW-Nr.	EAW-Nr.	EAW-Nr.		
RB 20 mm Ø 1" / 26 mm	BH mm					
	12,0	310/3012/21	310/3012/33	310/3012/45		
	14,0	310/3014/21	310/3014/33	310/3014/45		
	17,0	310/3017/21	310/3017/33	310/3017/45		
		KR 23 mm	KR 33 mm	KR 45 mm		
RB 20 mm Ø 30 mm	BH mm	EAW-Nr.	EAW-Nr.	EAW-Nr.		
	12,0	310/3512/21	310/3512/33	310/3512/45		
	14,0	310/3514/21	310/3514/33	310/3514/45		
	17,0	310/3517/21	310/3517/33	310/3517/45		
		KR 23 mm	KR 33 mm			
RB 20 mm Ø 34 mm	BH mm	EAW-Nr.	EAW-Nr.			
14,0	310/3714/23	310/3714/33				




Vorderfüße mit Ring Front Feet with Ring Pieds avant à collier



Standard



		Mod. 311 Standard gerade/straight/droit	
		BH mm	EAW-Nr.
RB 15 mm Ø 1"/26 mm		12,0	311/0012
		14,0	311/0014
		17,0	311/0017
RB 20 mm Ø 1"/26 mm		12,0	311/1012
		14,0	311/1014
		17,0	311/1017
		20,0	311/1020
		23,0	311/1023
RB 15 mm Ø 30 mm		12,0	311/0512
		14,0	311/0514
		17,0	311/0517
RB 20 mm Ø 30 mm		12,0	311/1512
		14,0	311/1514
		17,0	311/1517
		20,0	311/1520
		23,0	311/1523
RB 20 mm Ø 34 mm		14,0	311/1714
		17,0	311/1717
		23,0	311/1723




XS



		Mod. 311 gerade/straight/droit	
		BH mm	EAW-Nr.
RB 20 mm Ø 1"/26 mm		12,0	311/3012
		14,0	311/3014
		17,0	311/3017
RB 20 mm Ø 30 mm		12,0	311/3512
		14,0	311/3514
		17,0	311/3517
RB 20 mm Ø 34 mm		14,0	311/3714

Vorderfüße mit Ring, ohne Gelenk Front Feet with Ring, without Joint Pieds avant à collier, sans jointure



		Mod. 309 RB 20 mm		
		gerade/straight/droit	KR 17 mm	KR 23 mm
Ø mm	BH mm	EAW-Nr.	EAW-Nr.	EAW-Nr.
36,0	7,5	309/1360		
37,0	7,5	309/1370		
38,0	7,5	309/1380		
40,0	7,5	309/1400		
41,0	7,5	309/1410		
42,0	4,5	309/1420		
42,0	8,0		309/1420/17	309/1420/23
44,0	4,5	309/1440		
46,0	5,5	309/1460		
47,0	4,5	309/1470		
48,0	4,5	309/1480		
48,0	7,5	309/2480		
48,0	8,0		309/1480/17	309/1480/23
48,0	9,5	309/4480		
50,0	4,5	309/1500		
50,0	8,0		309/1500/17	309/1500/23
50,0	9,5	309/4500		
52,0	4,5	309/1520		
54,0	4,5	309/1540		
54,0	7,5	309/2540		
54,0	8,0		309/1540/17	309/1540/23
54,0	9,5	309/4540		
56,0	4,5	309/1560		
56,0	7,5	309/2560		
56,0	8,0		309/1560/17	309/1560/23
57,0	4,5	309/1570		
57,0	7,5	309/2570		
57,0	8,0		309/1570/17	309/1570/23
58,0	4,5	309/1580		
58,0	8,0		309/1580/17	309/1580/23
59,0	4,5	309/1590		
61,0	4,0	309/1610		
61,0	8,0		309/1610/17	309/1610/23
62,0	4,0	309/1620		
62,0	8,0		309/1620/17	309/1620/23
62,5	4,0	309/1625		
62,5	8,0		309/1625/17	309/1625/23
64,0	4,0	309/1640		
64,0	8,0		309/1640/17	309/1640/23
65,0	4,0	309/1650		
65,0	8,0		309/1650/17	309/1650/23
66,0	8,0		309/1660/17	309/1660/23
66,0	4,0	309/1660		
80,0	4,0	309/1800		


andere Ø auf Anfrage
other Ø on request
autres Ø sur demande

KR: Kröpfung/offset/coude


Vorderfüße für Zielfernrohre mit Schiene

Front Feet for Scopes with Rail

Pieds avant pour lunettes de visée avec rail



Standard



Mod. 401, ohne vertikalen Toleranzausgleich/ <i>no adjustment of vertical tolerances/sans compensation des tolérances verticales</i>			
BH mm	KR 20 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.	
2,5		401/0025	
3,0	401/0030/20	401/0030	
3,5		401/0035	
5,5		401/0055	
8,0	401/0080/20	401/0080	

Standard



Mod. 405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>					Mod. 406
BH mm	KR 20 mm EAW-Nr.	KR 31 mm EAW-Nr.	KR 45 mm EAW-Nr.	KR 60 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.
12,0	405/0120/20	405/0120/31	405/0120/45	405/0120/60	406/0120
14,0	405/0140/20	405/0140/31	405/0140/45	405/0140/60	406/0140

XS



Mod. 405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>				Mod. 406
BH mm	KR 20 mm EAW-Nr.	KR 31 mm EAW-Nr.	KR 45 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.
12,0	405/3120/21	405/3120/31	405/3120/44	406/3120
14,0	405/3140/21	405/3140/31	405/3140/44	406/3140

Standard



Mod. 405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>			
BH mm	KR 22 mm EAW-Nr.	KR 32 mm EAW-Nr.	KR 45 mm EAW-Nr.
14,0	405/1140/22	405/1140/32	405/1140/45

Standard




Mod. 1401 ohne vertikalen Toleranzausgleich/ <i>without adjustment of vertical tolerances/sans compensation des tolérances verticales</i>		
BH mm	KR 20 mm EAW-Nr.	KR 35 mm EAW-Nr.
10,0	1401/1100/20	1401/1100/35


Standard



Mod. 1405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>							Mod. 1406
BH mm	KR 20 mm EAW-Nr.	KR 22 mm EAW-Nr.	KR 31 mm EAW-Nr.	KR 32 mm EAW-Nr.	KR 39 mm EAW-Nr.	KR 45 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.
12,0		1405/1120/22		1405/1120/32	1405/1120/39	1405/1120/45	1406/1120
17,0	1405/1170/20		1405/1170/31	auf Anfrage/ <i>on request/sur demande</i>			1406/1170



XS



Mod. 1405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>				Mod. 1406
BH mm	KR 23 mm EAW-Nr.	KR 31 mm EAW-Nr.	KR 44 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.
12,0	1405/3120/23	1405/3120/31	1405/3120/44	1406/3120

Standard



Mod. 2405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>			Mod. 2406
BH mm	KR 21 mm EAW-Nr.	KR 32 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.
12,0	2405/0120/21	2405/0120/32	2406/0120

Standard



Mod. 3405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>				Mod. 3406
BH mm	KR 21 mm EAW-Nr.	KR 32 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.	
12,0	3405/0120/21	3405/0120/32	3406/0120	

Magnum



Mod. 3405 mit vertikalem Toleranzausgleich/ <i>with adjustment of vertical tolerances/avec compensation des tolérances verticales</i>			Mod. 3406
BH mm	KR 21 mm EAW-Nr.	KR 32 mm EAW-Nr.	gerade/ <i>straight/droit</i> EAW-Nr.
12,0	3405/1120/21	3405/1120/32	3406/1120
14,0	3405/1140/21	3405/1140/32	